



500M Specifications




Indoor: P1.95, P2.604, P2.976 P3.91
Outdoor: P2.604, P2.976, P3.91

Product name	500×500-M indoor&outdoor Cabinet
Module specification	250mmx250mm
Cabinet Size	500x500mm
Weight	500x500 ≥6kg
Cabinet Color	Silver
Door Color	Silver
Installation	Hoisting and fixed installation
Single box Module number	500x500 (four modules per Cabinet) 、 1000x500 (eight modules per Cabinet)
Environment	Indoor / Outdoor- Ip65
Standard accessories	door plank、 handle 、 locating pins 、 quicklocks 、 power strip, connectingpiece

1 500M Box appearance



The cabinet is spelled at right angles




The 45-degree special lock can be quickly disassembled to achieve 45-degree + plane + arc function switching

45° Cabinet


2 Cabinet Features





Right angle + plane + arc function
switching fast switching



4 Box specification



5 Installation



Installation:


6

Module installation



1PCS Power Supply


Pre-module maintenance




HUB Board

Magnet assembly


7 Straight Screen



8 Rubik's cube assembly




10 Magic Cube Screen



9

45°Screen



Assemble the right angle for quick disassembly and assembly

10 Spacing series



P3.91 P2.976 P2.604

