OLP Series

Website: www.kmtekled.com

网址：www.kmtekled.com

Professional LED display manufacturer in the world

世界级专业LED显示屏生产厂家

Outdoor LED lighting pole display
户外灯杆屏

---Offer a smart dynamic solution for outdoor advertising player

---提供户外广告机智能动态解决方案

www.kmtekled.com

OLP Series

LED POLE display

SMARTER THAN EVER!
SMARTEST AND THINNEST!

Outdoor LED lighting pole display
户外灯杆屏

---Offer a smart dynamic solution for outdoor advertising player
户外广告机智能动态解决方案

www.kmtekled.com

Not just a smart display.

A better display !

Hugely powerful and Enormously efficient !

不只是智能屏，是超智能屏！

具有你意想不到的效果！

A. Intelligent control 智能控制 www.kmtekled.com

With The LAN,WIFI,3G Intelligent management core modules inside. The advertisement show can be changeable.

WIFI,3G/4G智能管理核心模块，让广告可以随心掌控

B. Time and labor –Saving 省时省力

Once it is successfully installed, Its advertising content can be changed at any time .Unlike those traditional static billboards which need to be disassembled frequently. It is of high Time and labor saving.

一次安装成功，广告图文信息随意更换，省去拆装广告牌的麻烦，还节约资源

C. High IP level 高防护等级

With font/back IP level 65/54.Screen can be used outdoor even against terrible weather.

前后IP65/54高防护等级，户外各种天气放心使用

D. Easy maintenance 维护方便

Side-Open and back-open maintenance render it more optional installation positions.

可侧开,后开两种维护方式，让安装有更多选择

Applications 适用场合



1. Government commercial avenue , Commercial center street road. Park sightseeing project introduction, Local lighting display project. Community bulletin led display ,bus station, construction display project, airport corridor project, railway, metro station exist projects.
   政府商业大道，步行街，公园，小区，公交，建筑展示工程，机场走廊，铁路以及地铁出口。

2. Exhibition center, museum, library. Gymnasium, stadium ,theater , university , middle school, hospital, bank, and so on.
   展览中心，博物馆，图书馆，健身房，体育场，剧院，学校，医院，银行等

3 Hotel, restaurant. Mountain villa, commercial buildings.
酒店，餐厅，山庄，商业建筑

4. Shopping mall, Sales lobby ,Chain

INTELLIGENCE VS TRADITIONAL
智能 VS 传统

COMPARE 对比	INTELLIGENCE LED Iphone display 智能LED灯杆屏	TRADITIONAL Light pole advertising 传统灯箱广告
Photo照片	√	√
Video视频	√	×
Environmental Protection环保	Without wasting paper 节省纸张	Every time change advertising will replace the paper, need to reinstall. 每更换广告都需要更换相应的广告宣传纸，重新安装
Working time 工作时间	Use in day and night 白天晚上无限制	Can't see clearly in night 晚上效果不理想
Lifetime 寿命	About 6 years 6年以上	Only a few months, maybe one month need to change several times. 几个月，也许一个月就需要更换多次
Change AD. 切换内容	Change photos and videos by 3G/WIFI at home 在家就能通过3G/WIFI控制随意更换广告内容	Change photos by hands at the installation place 只能在安装地点人工更换
Earnings 收益	More quickly to get back the money, In a few seconds can play several different advertising. 快速收回成本，短时间内切换不同的内容	Get back money slowly, advertising is static 成本收回周期长，无法播放视频
Usage environment 使用环境	Outdoor/Indoor in day and night 户内户外，无时间限制	Outdoor/Indoor only in day 户内户外，只能在白天

Application Projects 应用案例

Modern Street LED lighting pole display shining up.

LED灯杆屏在现代化街道闪亮登场

※ One full street all focus on one advertisement . Attract people's eyes and make deep impression for all the viewers.

※ 整条街同时显示同一条广告吸引观众注意力的同时给其留下震撼的印象

Example installation P6



P6 front view design

Example installation P6



P6 Backside view design

Example installation P6



The Pole staple bolt
抱箍



Fixed on the pole diagram
灯杆安装示意图

Example installation P6

P6 Backside

ignal cable and power cable layout

P6信号线和电源线接口

220V/110V Adjustable power input

220V/110V 可调节电压输入

Example installation P6



P6 finished installation

P6效果图

Example delivery package of P6



package: Flight case(OR Cartons)

3sets into one flight case/Cartons

Outdoor LED lighting pole display Control Model explanation
户外灯杆屏控制示意图

Faster wireless.
Far and Wide
(3G&WIFI)
无线快速
任意位置
(3G&WIFI)

Outdoor LED lighting pole display
3 G model explanation
户外灯杆屏3G控制示意图



YC-LC202 (Can be replace of other control card

3G Wireless router WCDMA

YC-LC402

:aster wireless.

Far and Wide

(3G)

无线快速

任意位置

(3G)

Outdoor LED lighting pole display Wi-Fi model explanation



Faster wireless.
Far and Wide
(Wi-Fi)
无线快速
任意位置
(Wi-Fi)

After sales maintenance
产品维护

www.kmtekled.com

1.Receive the cargo 收货

Make sure the cargo in sealing condition and the cargo storage temperature between - 30℃ and 60℃ when you receive the goods from the customs
收货时确保产品是密封包装以及产品的存储温度在-30℃ - 60℃之间

2. Install and use the product 安装和使用

Please adopt preheating model to light it up and keep 30% brightness for 0.5-2 hours when you use it . Keep it work 8 hours or above continually per day will be better. **It will be better to use it at least once a week.**
使用时请设置预热模式点屏同时使屏幕在半小时至两小时之内保持30%的亮度，屏体工作时间最好控制在八至十小时之间。请保持屏体每周至少工作一次。

3. Cleaning 清洁

Ensure to use soft brush to clean the display surface and PROHIBIT any liquid when doing cleaning.
确保使用软毛刷清洁屏体表面，禁止使用任何液体清洁屏幕。