

LCD SERIES



Outdoor TV


55", 65" 4K LCD outdoor TV



SUNLIGHT
VIEWABLE IMAGE



4K UHD
RESOLUTION



BUILT-IN
MEDIA PLAYER



THERMAL
MANAGEMENT



TRUECOLOR™
CALIBRATED



SPECIFICATION:

Model			
LCD	Size	55 inch	65 inch
	Native Resolution	3840×2160	3840×2160
	Brightness	1500 nits	1500 nits
	Contrast Ratio	1200:1	1200:1
	Light Lifetime (Typ.)	50000 Hours	50000 Hours
Electrical parameters	Rated input voltage	AC 100-240V 50/60Hz	AC 100-240V 50/60Hz
	Power Consumption (Max)	380W	430W
	Standby Power consumption	≤0.5W	≤0.5W
System parameters	System	Google TV + Dolby Atmos	
	Main Chip	MT9602	
	CPU	ARMCortex-A53 quad core 1.5 GHz	
	DDR3/Flash	2G/16G	
	Network	100MDHCP/2.4G&5G,2T2R	
	Port	HDMI*3 USB2.0*2 RG45*1 Tuner*1 CVBS In*1	
	Control	Bluetooth +IR	
	Bluetooth		
	Language	English/Chinese	
Mechanical Specs	Bezel Width (T/B/L/R) mm	20/20/20/20	
	Color	Black	
	Monitor Dimension (LxHxD)	1249.6×720.5×105	1468.5×843.6×105
	VESA Mounting (LxH) mm	400×400	600×400
	Waterproof Level	IP65	
Environment	Operating Temperature	- 20°C-60°C	
	Storage Temperature	- 30°C-70°C	
	Humidity	10-95%(Non-condensing)	
	Sunlight Level	Partial sunlight	
Certification	FCC DOE		

Tips: The content of the specification is for reference only, and the specific details are subject to the actual product.

DIMENSIONS:

Unit: mm [inch]



ATTACHMENT PARAMETERS:

1: Instructions	1PC
2: Wall mounts	1PC
3: Remote control	1PC
4: Power cord	1PC
5: 1.5M HDMI cable	1PC

PRECAUTIONS FOR TRANSPORTATION:

1. During the transportation process, the machine should be placed and fixed in strict accordance with the identification of the outer packaging box to avoid the machine tipping and foreign objects during transportation (especially the front of the display screen);
2. Long-distance single transportation requires wooden box or wooden frame protection.



Web: www.kmtekled.com
Mail: info@kmtekled.com sales@kmtekled.com
Tel: 0086-755-27648736
Fax: 0086-755-27648736
Address: 4th Building, The 2nd inudstry Park Of Nangang. Songbai Rd 1026, Xili, Nanshan, Shenzhen, China - Postcode:518055

